

New records and preliminary list of Curculionoidea (Coleoptera) in Pakistan

Новые находки и предварительный список Curculionoidea (Coleoptera) Пакистана

Z. Ahmed*, A.A. Legalov**
З. Ахмед*, А.А. Легалов**

* Department of Zoology, Federal Urdu University of Arts, Sciences and Technology, Karachi, Pakistan. E-mail: zbrahmed36@gmail.com.

** Кафедра зоологии, Федеральный университет искусств Урду, Пакистан.

** Institute of Systematics and Ecology of Animals, Russian Academy of Sciences, Siberian Branch, Frunze Str. 11, Novosibirsk 630091 Russia. E-mail: fossilweevils@gmail.com.

** Институт систематики и экологии животных СО РАН, ул. Фрунзе 11, Новосибирск 630091 Россия.

Key words: Curculionoidea, Rhynchitidae, Brentidae, Curculionidae, new records, distribution, checklist, Pakistan.

Ключевые слова: Curculionoidea, Rhynchitidae, Brentidae, Curculionidae, новые находки, распространение, список, Пакистан.

Abstract. A list of 331 species of weevils (Rhynchitidae, Attelabidae, Brentidae and Curculionidae) of Pakistan is presented. *Aplemonus arabicus* (Wagner, 1909), *Meneclonus anxius* (Gyllenhal, 1834), *Conorhynchus verecundus* (Faust, 1904), *Acythopeus curvirostris* (Boheman, 1844), *Pachytychius obscuricollis* Voss, 1959, *Sitona fairmairei* Allard, 1869, *Myllocerus benignus* Faust, 1892, and *Myllocerus scitus* Voss, 1942 are recorded in Pakistan for the first time.

Резюме. Составлен список долгоносикообразных жуков (Rhynchitidae, Attelabidae, Brentidae and Curculionidae) Пакистана, включающий 331 вид. *Aplemonus arabicus* (Wagner, 1909), *Meneclonus anxius* (Gyllenhal, 1834), *Conorhynchus verecundus* (Faust, 1904), *Acythopeus curvirostris* (Boheman, 1844), *Pachytychius obscuricollis* Voss, 1959, *Sitona fairmairei* Allard, 1869, *Myllocerus benignus* Faust, 1892 и *Myllocerus scitus* Voss, 1942 приводятся для Пакистана впервые.

Species diversity of beetle superfamily Curculionoidea in Pakistan is still poorly known. The first and perhaps only serious attempt of describing at least part of the weevils of this country were made by Marshall [1916] in the series «Fauna of British India», but this work was just preliminary and is now well out of date. Since that time were published several papers on various taxa which only marginally included Pakistan, mainly dealing with weevils from Iran, Afghanistan and India [Voss, 1957, 1959a, b, 1960a, b, 1961, 1963, 1964; Supare et al., 1990; Ramamurthy, Ayri, 2010; Ramamurthy, Ghai, 1989; Ramamurthy, Supare, 1990]. Aslam [1961, 1966a, b, 1969] published some papers on Tanytarsiinae genera, on *Leptomias* Faust, 1886, and *Parismias* Faust, 1897 from Indo-Pakistan region from where he described a few new species and draw up keys to

species of *Leptomias*, *Parisomias*, *Achlainomus* Waterhouse, 1853 and *Strophosomoides* Aslam, 1966 occurring or potentially occurring in Pakistan. Chaudhary et al. [1966] drew up an inventory of Curculionidae of Pakistan, reporting only 42 species from the country, most only named to generic level. The list of Curculionidae from Pakistan by Hashmi and Tashfeen [1992] quotes very small number of species. However, a contribution exclusively dedicated clarify the diversity of the weevils of Pakistan, so that our knowledge of weevils occurring in Pakistan is very poor.

The world catalogue of the genera of weevils by Zarazaga and Lyal [1999, 2002] gives just some incomplete information about the occurrence of some genera in Pakistan. We provide here an annotated list of weevils recently collected in Pakistan, being some of them recorded from the country for the first time.

It is worthy to point out that further field researches, in addition to inventories of existing collections, are needed to achieve a more precise knowledge of these beetles in Pakistan. This checklist of weevils of this country would facilitate further researches on this diverse group, comprising also several pests of cultivated trees and crops.

The majority of species are deposited in the Federal Urdu University of Arts.

The list of 331 species from 171 genera, 52 tribes, 16 subfamilies and 5 families of Curculionoidea (without Scolytidae) are presented for territory of Pakistan. The known published records [Voss, 1960a, 1964; Aslam, 1961, 1966a, 1966b, 1969; Chaudhry et al., 1966; Supare et al., 1990; Hashmi, Tashfeen, 1992; Rizvi et al., 2002, 2006; Ahmed et al., 2006, 2009, 2014a, b] are included in the list.

Preliminary list of weevils for the territory of Pakistan

- Anthribidae Billberg, 1820
 Anthribinae Billberg, 1820
 Platystomini Pierce, 1916
- Litotropis* sp.
Phloeobius alternans (Wiedemann, 1819)
- Xenocerini Lacordaire, 1866
Xenocerus rectilineatus Jordan, 1894
- Rhynchitidae Gistel, 1856
 Rhynchitinae Gistel, 1856
 Auletini Desbrochers, 1908
Pseudomesauletina Legalov, 2003
Pseudomesauletes longicollis (Faust, 1898)
- Deporaini Voss, 1929
Caenorhinus marginatus (Pascoe, 1883)
C. robertsi (Voss, 1935)
- Rhynchitini Gistel, 1856
 Rhynchitina Gistel, 1856
- Pilosoinvolvulus densatus* (Voss, 1969), new record
P. solutus (Faust, 1886)
- Attelabidae Billberg, 1820
 Attelabinae Billberg, 1820
 Attelabini Billberg, 1820
Paramecolabina Legalov, 2003
- Paramecolabus feae* (Faust, 1894)
- Apoderinae Jekel, 1860
 Clitostylini Voss, 1926
Allapoderina Legalov, 2003
- Allapoderus manaliensis* (Voss, 1920)
Pseudallapoderus sisus (Marshall, 1913)
- Hoplapoderini Voss, 1926
Hoplapoderina Voss, 1926
- Paralopoderus lefroyi* (Marshall, 1913)
Hoplapoderus echinatus (Gyllenhal, 1833)
H. gemmatus (Thunberg, 1784)
Agomadaranus bihumeratus (Jekel, 1860)
- Apoderini Jekel, 1860
Leptapoderina Legalov, 2003
- Leptapoderus proximus* (Voss, 1929)
Paracompus bistriolatus (Faust, 1898)
P. seclusus (Faust, 1898)
- Korotyaevirhinus notatus* (Fabricius, 1792)
Microcorynus blandus (Faust, 1894)
- Centrocorynina Legalov, 2003
Centrocorynus scutellaris (Gyllenhal, 1833)
- Cycnotrachelina Legalov, 2003
Paracycnotrachelus cygneus (Fabricius, 1801)
P. brachmanus Voss, 1924
- Brentidae Billberg, 1820
 Apioninae Schoenherr, 1823
 Ceratapiini Alonso-Zarazaga, 1990
- Ceratapion scalptum* (Mulsant et Rey, 1858)
- Aplemonini Kissinger, 1968
Hoplopodapion depressum Bhateja et Pajini, 1989
Perapion himalayense Bhateja et Pajini, 1989
Aplemonus arabicus (Wagner, 1909), new record
- Piezotrachelini Voss, 1959
Piezotrachelus lindemannae Voss, 1961
P. sulcatulicollis Voss, 1956
Pseudoconapion pakistanum Voss, 1960
- Cyladinae Schoenherr, 1823
Cylas formicarius (Fabricius, 1798)
- Brentinae Billberg, 1820
 Brentini Billberg, 1820
 Eremoxenina Semenov-Tian-Shanskij, 1892
Amorphocephala delicata Kleine, 1925
- Arrhenodina Lacordaire, 1866
Baryrhynchus miles (Boheman, 1845)
B. rufus Senna, 1893
Orychodes sp.
Parorychodes degener (Senna, 1892)
- Nanophyinae Gistel, 1856
 Nanophyini Gistel, 1856
- Nanophyes nigritulus* Boheman, 1859
- Curculionidae Latreille, 1802
 Erirhininae Schoenherr, 1825
 Erirhinini Schoenherr, 1825
- Echinocnemus margelanicus* Faust, 1887
E. oryzae Marshall, 1925
- Tadiini Zimmerman, 1993
Tadius laticollis Faust, 1898
- Desmidophorini Morimoto, 1962
Desmidophorus brachmanus Faust, 1895
D. hebes (Fabricius, 1781)
- Bagoini Thomson, 1859
Bagous affaber Faust, 1887
B. alexanderi O'Brien, 1995
B. laevigatus O'Brien et Pajni, 1989
B. loisae O'Brien, 1995
B. mucronatus Caldara et O'Brien, 1998
B. trapae Parshad, 1961
B. vicinus Hustache, 1926
Hydronomidius molitor Faust, 1898
- Dryophthorinae Schoenherr, 1825
 Orthognathini Lacordaire, 1866
 Orthognathina Lacordaire, 1866
- Sipalinus gigas* (Fabricius, 1775)

- Rhynchophorini* Schoenherr, 1833
Rhynchophorina Schoenherr, 1833
Rhynchophorus ferrugineus (Olivier, 1790)
Cyrtotrachelus longimanus (Fabricius, 1775)
Protocerius servidus Pascoe, 1871
- Litosomina* Lacordaire, 1866
Sitophilus granarius (Linnaeus, 1758)
S. linearis (Herbst, 1797)
S. oryzae (Linnaeus, 1763)
S. quadrinotatus Wiedemann, 1823
S. rugicollis (Casey, 1892)
S. zeamais (Motschulsky, 1855)
Myocalandra exarata (Boheman, 1838)
- Diocalandrina* Zimmermann, 1993
Diocalandra frumenti (Fabricius, 1801)
- Polytina* Zimmerman, 1993
Polytus mellerborgii (Boheman, 1838)
- Sphenophorina* Lacordaire, 1866
Trochorhopalus sacchari Marshall, 1932
Scyphophorus occupunctatus Gyllenhal, 1838
Cosmopolites sordida (Germar, 1824)
Cercidocerus bimaculatus Boheman, 1845
C. pictus Faust, 1894
Odoiporus longicollis (Olivier, 1807)
- Molytinae* Schoenherr, 1823
Hylobiini Kirby, 1837
Hylobiina Kirby, 1837
- Aclees pseudocribratus* Osella, 1989
Hylobius angustus Faust, 1891
Paramecops farinosus (Wiedemann, 1821)
Pimelocerus fletcheri (Marshall, 1919)
P. malignus (Marshall, 1919)
- Mecysolobini* Reitter, 1913
Cylindralcides affaber (Aurivillius, 1892)
C. bubo (Fabricius, 1801)
C. mali (Marshall, 1919)
C. mysticus (Faust, 1894)
Sternuchopsis chaudoiri (Chevrolat, 1844)
S. collaris (Pascoe, 1887)
S. fabricii (Fabricius, 1798)
S. frenatus (Faust, 1894)
S. pictus (Boheman, 1844)
S. porrectirostris (Marshall, 1913)
S. signatus Bohernan, 1836
Merus leopardus (Olivier, 1807)
M. scenicus (Faust, 1894)
M. westermannii (Boheman, 1844)
- Paipalesomini* Marshall, 1932
Peribleptus scalptus Boheman, 1843
- Lixinae* Schoenherr, 1823
Lixini Schoenherr, 1823
- Larinus syriacus* Gyllenhal, 1835
Microlarinus rhinocylloides Hochhuth, 1847
Gasteroclisus arcurostris Petri, 1912
G. augurius (Bohernan, 1835)
G. binodulus (Boheman, 1835)
- Hypolixus pica* (Fabricius, 1798)
Lixus aethiops (Herbst, 1795)
L. auriculatus Sahlberg, 1823
L. binodulus Boheman, 1836
- Cleonini* Schoenherr, 1826
- Ammocleonus aschabadensis* (Faust, 1884)
A. hieroglyphicus (Olivier, 1807)
A. ramakrishnai Marshall, 1943
Asproparthenis foveicollis (Gebler, 1834)
A. punctiventris (Germar, 1824)
Atactogaster dejeani Faust, 1894
A. orientalis (Chevrolat, 1873)
A. zebra (Chevrolat, 1873)
Chromonotus menetriesi Faust, 1884
Chromosomus fischeri (Fähræus, 1842)
Cleonis pigra (Scopoli, 1763)
Conioleonus mesopotamicus (Olivier, 1807)
Cosmogaster cordofana (Fähræus, 1842)
C. lateralis (Gyllenhal, 1834)
Isomerops baluchicus (Marshall, 1913)
Liocleonus clathratus (Olivier, 1807)
Leucomigus candidatus (Pallas, 1771)
Lixocleonus incanus Marshall, 1923
Meneleonus anxius (Gyllenhal, 1834), new record
M. signaticollis (Gyllenhal, 1834)
M. virgatus (Schoenherr 1832)
Neocleonus sannio (Herbst, 1795)
Pachycerus cynoglossi Marshall, 1928
P. sellatus Faust, 1904
Pycnodactylopsis tomentosa (Fähræus, 1842)
Rhabdorrhynchus seriegranosus Chevrolat, 1873
Temnorhinus brevirostris (Gyllenhal 1834)
T. perforatus Faust, 1904
Conorhynchus verecundus (Faust, 1904), new record
Tetragonothorax gyllenhalii Faust, 1888
T. liali Alonso-Zarazaga, 1999
Xanthochelus blumeae Marshall, 1938
X. faunus (Olivier, 1807)
X. major (Herbst, 1784)
X. permutteratus Faust, 1904
X. superciliosus (Gyllenhal, 1834)
- Cryptorhynchinae* Schoenherr, 1825
Camptorhinini Lacordaire, 1566
- Pachyonyx menoni* Bose, 1946
P. quadridens Chevrolat, 1880
- Aedemonini* Faust, 1898
- Mechistocerus mollis* Faust, 1894
Rhadinomerus bombacis Marshall, 1921
- Cryptorhynchini* Schoenherr, 1825
Cryptorhynchina Schoenherr, 1825
- Cryptometopus personatus* Faust, 1896
Rhadinopus simplicifrons Voss, 1960
Sternochetus gravis (Fabricius, 1775)
S. mangiferae (Fabricius, 1775)
Plococerus denticollis Marshall, 1923
Shirahoshizo rufescens (Roelofs, 1875)
- Cossoninae* Schoenherr, 1825
Cossonini Schoenherr, 1825
- Cossonus binodosus* Marshall, 1913
C. canarensis Faust, 1898

- Proecini Voss, 1956
- Conarthrus cylindricus* (Broun, 1893)
- Orthotemnus filiformis* Champion, 1914
- Baridinae Schoenherr, 1836
- Baridini Schoenherr, 1836
- Leptoschoinina Lacordaire, 1866
- Acythopeus curvirostris* (Bohemian, 1844), new record
- A. neelgheriensis* (Guerin-Meneville, 1843)
- Athesapeuta citrulli* Marshall, 1916
- Baridina Schoenherr, 1836
- Baris albosparsus* Faust, 1894
- B. ochraceomaculta* (Motschulsky, 1866)
- B. portulacae* Marshall, 1916
- B. septemguttata* (Motschulsky, 1866)
- B. x-album* Faust, 1898
- Barioscapus cordiae* (Marshall, 1923)
- Spilobaris maculata* (Roelofs, 1879)
- Conoderini Schoenherr, 1833
- Mecopina Lacordaire, 1866
- Mecopus hopei* Rosenschoeld, 1838
- Pempheres affinis* Faust, 1898
- Sphadasmina Lacordaire, 1866
- Sphadasmus brahminus* Pascoe, 1871
- Lobotrachelina Lacordaire, 1866
- Lobotrachelus asperulus* Faust, 1894
- L. postoculatus* Marshall, 1923
- L. subfasciatus* Motschulsky, 1858
- L. urenae* Marshall, 1923
- Coryssomerina Thomson, 1859
- Metialma anisomelis* Marshall, 1934
- M. balsaminae* Motschulsky, 1863.
- M. scenica* Pascoe, 1871
- Ceutorhynchini Gistel, 1856
- Phytobiina Gistel, 1856
- Neophytobius granatus* (Gyllenhal, 1835)
- Rhinoncus caesareus* Colonnelli, 1979
- Rh. planipennis* Colonnelli, 1979
- Ceutorhynchina Gistel, 1856
- Ceutorhynchus biseriatus* Faust, 1885
- Indicoplontus indicus* (Hustache, 1930)
- Indozacladus theresiae* (Dalla Torre, 1922)
- Hypurina Schultze, 1902
- Hypurus portulacae* (Marshall, 1916)
- Mecysmoderina Wagner, 1938
- Mecysmoderes rufulus* Colonnelli, 1979
- Curculioninae Latreille, 1802
- Ellescini Thomson, 1859
- Pachytychius obscuricollis* Voss, 1959, new record
- Curculionini Latreille, 1802
- Curculio c-album* Fabricius, 1798
- C. nigricollis* Marshall, 1923
- Anthonomini Thomson, 1859
- Anthonomus* sp.
- Rhamphini Rafinesque, 1815
- Rhynchaenus mangiferae* Marshall 1915
- Cionini Schoenherr, 1825
- Cionus hortulanus* (Fourcroy, 1785)
- Smicronychini Seidlitz, 1891
- Hedychrous rufofasciatus* Marshall, 1923
- Smicronyx inornatus* Anderson, 1974
- S. jungennanniae* (Reich, 1797)
- S. parafasciatus* Anderson, 1974
- S. robustus* Faust, 1885
- S. rufovittatus* Anderson, 1974
- S. ushoensis* Anderson, 1974
- S. viciae* Marshall, 1938
- Tychiini Thomson, 1859
- Tychius festivus* (Faust, 1884)
- Sibinia* sp.
- Entiminae Schoenherr, 1823
- Hyperini Marseul, 1863
- Hyperina Marseul, 1863
- Hypera medicaginis* Marshall, 1913
- H. melancholica* (Fabricius, 1792)
- H. postica* (Gyllenhal, 1813)
- Coniatina Legalov, 2007
- Coniatus aegyptiacus* Capiomont, 1868
- Bagoides indicus* (Marshall, 1916)
- B. schrencki* (Gebler, 1841)
- Sitonini Gistel, 1856
- Schelopius planifrons* Fahraeus, 1840
- Sitona callosus* Gyllenhal, 1834
- S. fairmairei* Allard, 1869, new record
- S. macularius* (Marsham, 1802)
- Eugnathus alternans* Fähræus, 1840
- E. curvus* Faust, 1897
- Tanytremini Lacordaire, 1863
- Tanytremina Lacordaire, 1863
- Cercophorus pseudoverlorenii* (Rizvi, Ahmad et Naz, 2006)
- C. sindhiliensis* (Ahmed, Rizvi, Siddiqui et Iqbal, 2009)
- Esamus andrewesi* Faust, 1897
- E. circunidatus* (Wiedemann, 1821)
- E. feai* Marshall, 1916
- E. lacordairei* (Faust, 1895)
- E. longulus* (Fähræus, 1840)
- E. marginalis* (Gyllenhal, 1834)
- E. mixtus* Faust, 1895
- E. pertusiventris* Faust, 1895
- E. simplex* (Marshall, 1916)
- E. versicolor* (Marshall, 1916)
- Megamecus mandibularis* (Marshall, 1916)
- M. scirurus* (Olivier, 1807)
- Phacephorus argyrostomus* (Gyllenhal, 1840)
- Ph. bimaculatus* Marshall, 1916
- Scepticus caesius* Marshall, 1916
- S. noxius* (Faust, 1886)

- S. nubifer* (Faust, 1886)
S. pakistanus Voss, 1964
Tanymecus albomarginatus Gyllenhal, 1834
T. chloroleucus Wiedemann, 1826
T. hispidus (Marshall, 1916)
T. indicus Faust, 1894
T. lectus (Marshall, 1916)
T. parkiensis Ahmad, Rizvi, Akher et Yasir, 2006
T. princeps (Faust, 1891)
T. tetricus Faust, 1897
- Piazomiina Reitter, 1913
- Achlainomus squamulosus* Hustache, 1928
Atmetonychus peregrinus (Olivier, 1807)
Dereodus denticollis (Schoenherr, 1826)
D. mastos (Herbst 1797)
D. pollinosus (Redtenbacher, 1844)
D. sparsus Boheman, 1840
Hypomeces squamosus (Fabricius, 1792)
Lepropus aurovittatus (Marshall, 1916)
L. chrysochlorus (Dejean, 1835)
L. lateralis (Schoenherr, 1834)
L. limbatus (Marshall, 1916)
L. rutilans (Olivier, 1807)
Leptomias angustatus (Redtenbacher, 1844)
L. audax Faust, 1886
L. bimaculatus Faust, 1886
L. elongatus Marshall, 1916
L. hazaraensis (Aslam 1969)
L. rufus (Aslarn, 1969)
L. stoliczkae (Faust, 1886)
L. sulcicollis (Marshall, 1916)
L. verrucicollis (Faust, 1886)
Pachynotus globicollis Redtenbacher, 1844
Sympiezomias beesoni Marshall, 1921
S. cretaceus Faust, 1897
S. decipiens Marshall, 1916
S. frater Marshall, 1916
Strophosomoides kaghanensis Aslam, 1966
S. kohistani Aslam, 1966
S. rugosus Aslam, 1966
Xylinophorus penicillatus Marshall, 1916
- Blosyrini Lacordaire, 1863
- Blosyrodes pubescens* Marshall, 1916
B. variegatus (Redtenbacher, 1844)
Blosyrus osellus (Olivier, 1807)
B. inaequalis Boheman, 1845
B. oniscus (Olivier, 1807)
- Episomini Lacordaire, 1863
- Episomus figulus* Boheman, 1834
E. guttatus Boheman, 1845
E. lacerta (Fabricius 1781)
E. montanus Guérin-Méneville, 1843
E. quatuornotatus Desbrochers, 1890
- Cneorhinini Lacordaire, 1863
- Catapionus basilicus* Boheman, 1842
- Cyphicerini Lacordaire, 1863
- Cyphicerina Lacordaire, 1863
- Amblyrhinus maliriensis* (Ahmed, Rizvi, Siddiqui et Iqbal, 2009)
A. poricollis Schoenherr, 1826
- A. subcingulatus* Voss, 1960
Crinorrhinus approximans Marshall, 1942
Cyphicerus ornatus Faust, 1891
Thlipsomerus subcosticollis (Marshall, 1943)
Cyrtepistomus jucundus (Redtenbacher, 1844)
Hackeria isabellina Voss, 1960
Peltotracelus cognatus Marshall, 1917
P. juvencus (Faust, 1891)
P. pubes (Faust, 1886)
Platymycteris sjostedti Marshall, 1918
- Acanthotrachelina Marshall, 1944
- Lagenolobus tutus* Faust, 1897
- Mylocerina Pierce, 1913
- Arhines languidus* Gyllenhal, 1834
Emperorrhinus defoliator Marshall, 1916
Mylocerus benignus Faust, 1892, new record
M. blandus Faust, 1894
M. cardoni Marshall, 1916
M. conspersus Marshall, 1916
M. dentifer (Fabricius, 1792)
M. discolor Boheman, 1834
M. dorsatus (Fabricius, 1798)
M. evasus Marshall, 1916
M. fabricii Bohernan, 1842
M. kashmirensis Marshall, 1916
M. laetivirens Marshall, 1916
M. lefroyi Marshall, 1916
M. lineatus (Marshall, 1916)
M. maculosus Desbrochers, 1899
M. madurensis Marshall, 1916
M. maliriensis Ahmad, Rizvi, Siddiqui et Iqbal, 2009
M. necopinus Marshall, 1916
M. pilifer Faust, 1897
M. pubescens Faust, 1894
M. sabulosus Marshall, 1916
M. scitus Voss, 1942, new record
M. sericeus Faust, 1897
M. setulifer Desbrochers, 1899b
M. spinicollis Marshall, 1941
M. subfasciatus Guerin-Meneville, 1843
M. thandiyanensis Rizvi, Ahmed et Naz, 2002
M. transnsorinus (Herbst, 1795)
M. undecimpustulatus Faust, 1891
M. viridanus (Fabricius, 1775)
Hyperstylus richordi (Nathan, 1992)
Phyllolytus cinereus (Formanek, 1922)
Ptochus afflictus Faust, 1886
P. percussus Faust, 1886
- Phytoscaphina Lacordaire, 1863
- Phytoscaphus chloroticus* Boheman, 1843
Ph. fractivirgatus Marshall, 1923
Ph. inductus Boheman, 1842
Ph. lanatus (Fabricius, 1801)
Ph. tenuirostris Marshall, 1923
- Nothognathini Marshall, 1916
- Lathrotorrhynchus erberi* Braun et Behne, 1994
L. gilgitensis Braun et Behne, 1994
L. globicollis Braun et Behne, 1994
L. heinzi Braun et Behne, 1994
L. kunharensis Braun et Behne, 1994
L. piffli Voss, 1964

- Laparocerini Lacordaire, 1863
Cyrtozemias dispar Pascoe, 1872
 Polydrusini Schoenherr, 1823
Polydrusus aurocupreus Gandhi et Pajni, 1984
 Psallidiini Lacordaire, 1863
Sphingorrhynchus marussii Voss, 1957
S. ortrudheinzae Braun, 1996
 Otiorhynchini Schoenherr, 1826
Otiorhynchus marshalli F. Solari, 1937
O. gilgitensis Braun, 1988
O. planulus Braun, 1998
O. aloysii Alonso-Zarazaga, 2013
Himalotiorhynchus deosalicus Magnano, 2006
H. pakistanius Magnano, 2006

New records

Pilosoinvolvulus densatus (Voss, 1969)

Material. 2 ex. (Attila Podlussany collection, Budapest), Tathabaya, 2300 m, 34°36'48" N, 73°27'01" E, 23.VII.1998, G. Csorba and L. Ronkay.

Aplemonus arabicus (Wagner, 1909)

Material. 1 ex., Thar, Sindh, 28.IX.2007.

Remarks. Chaudhary et al. [1966] and Hashmi and Tashfeen [1992] did not include this genus and therefore the genus and species reported first time from Pakistan.

Meneclonus anxius (Gyllenhal, 1834)

Material. 2 ex., Karachi.

Conorhynchus verecundus (Faust, 1904)

Material. 1 ex., Karachi.

Acythopeus curvirostris (Bohemian, 1844)

Material. 1 ex., Balakot, Khyber Pakhtoon Khwa, 26.VI.2009.

Pachytychius obscuricollis Voss, 1959

Material. 1 ex., Thar, Sindh, 28.IX.2007; 8 ex., Kalarkahar, Punjab, 10.IX.2007.

Remarks. Chaudhary et al. [1966] and Hashmi and Tashfeen [1992] did not include this genus and therefore the genus *Pachytychius* reported first time from Pakistan. This species distributed in North Africa, Afghanistan and Arabia [Cal-dara, 1978].

Sitona fairmairei Allard, 1869

Material. 1 ex., Balakot, Khyber Pakhtoon Khwa, 26.VI.2009.

Remarks: Chaudhary et al. [1966] and Hashmi and Tashfeen [1992] did not recorded this species.

Mylocerus benignus Faust, 1892

Remarks: First record from Pakistan. Its previously known range was from Tadzhikistan and Turkemanistan [Yunakov, 2013]. Voss [1960a] reported this species from Afghanistan.

Mylocerus scitus Voss, 1942

Material. 1 ex., Omarkot, Sindh, Pakistan. 5.VIII.2010.

Remarks. Chaudhary et al. [1966] and Hashmi and Tashfeen [1992] did not recorded that species from Pakistan. Voss [1960b] recorded this species from Afghanistan.

Acknowledgements

We thanks to E. Chabanenko (Novosibirsk), E. Colonnelli (Italy), M. Meregalli (Italy), A. Podlussany (Budapest), R. Zhang (China), A. Velazquez de Castro (Spain) for their help in study. The study was partially supported by the Federal Fundamental Scientific Research Programme for 2013–2020, Project No. VI.51.1.7.

References

- Ahmed Z., Rizvi S.A., Akhter M.A., Yasir I. 2006. A new species of *Tanymecus* Fermar (Coleoptera: Curculionidae: Tanymecini) from Pakistan // International Journal of Biology and Biotechnology. Vol.3. No.1. P.19–21.
- Ahmed Z., Rizvi S.A., Siddiqui H., Iqbal M. 2009. A new species of the genus *Mylocerus* Schoenherr (Coleoptera: Curculionidae: Otiorhynchinae) from Karachi, Sindh-Pakistan // Pakistan Journal of Entomology Karachi. Vol.24. Nos1–2. P.31–34.
- Ahmed Z., Meregalli M., Raza H. 2014a. A new record of the weevil *Pycnodactylopsis tomentosa* (Fähraeus, 1842) (Coleoptera: Curculionidae) from Sindh, Pakistan // Pakistan Journal of Zoology. Vol.46. No.3. P.888.
- Ahmed Z., Velázquez de Castro A.J., Arian N. 2014b. First record of the weevil *Schelopius planifrons* Fähraeus, 1840 (Coleoptera: Curculionidae: Entiminae) from Pakistan // Arquivos Entomológicos. No.10. P.39–40.
- Alonso-Zarazaga M.A. 2007. On terminology in Curculionidae (Coleoptera) // Boletín Sociedad Entomológica Aragonesa. No.40. P.210.
- Aslam N.A. 1961. Indo-Pakistan *Lemptomias* Faust (Coleoptera: Curculionidae) // Annals and Magazine of Natural History. Vol.13. P.321–339.
- Aslam N.A. 1966a. A new Tanymecine genus from the Himalayas (Coleoptera, Curculionidae) // Annals and Magazine of Natural History. Vo.13. P.129–136.
- Aslam N.A. 1966b. Revision of Tanymecine genera, *Achlaenomus* Waterhouse and *Hyperomis* Marshall and designation of type for *Strophosomoides* Aslam (Coleoptera, Curculionidae) // Annals and Magazine of Natural History. Vol.13. P.405–416.
- Aslam N.A. 1969. Revision of Indo-Pakistan *Parisomias* Faust (Coleoptera, Curculionidae) with some notes on *Leptomias* Faust // Journal of Natural History. No.3. P.543–560.
- Caldara R. 1978. Revisione dei *Pachytychius* paleartici (Coleoptera Curculionidae) // Memorie della Società entomologica Italiana. Vol.1977. No.56. P.131–216.
- Chaudhry G.U., Chaudhry M.I., Khan S.M. 1966. Survey of insect fauna of forests of Pakistan // Final technical report. Biological Sciences Research Division. Pakistan Forest Institute. Peshawar. 167 p.
- Hashmi A.A., Tashfeen A. 1992. Coleoptera of Pakistan // Proceedings of Pakistan Congress Zoology. Vol.12. P.133–170.
- Ramamurthy V.V., Ayri S. 2010. Revision of the genus *Indomias* Marshall (Coleoptera, Curculionidae, Entiminae, Tanymecini) from India // Zootaxa. No.2357. P.1–49.
- Ramesha B., Ramamurthy V.V. 2011. A study on the *Baris* from India (Coleoptera: Curculionidae) // Oriental Insects. Vol.45. No.4. P.304–392.
- Rizvi S.A., Ahmad Z., Naz S. 2002. A new species of the genus *Mylocerus* Shonherr (Coleoptera: Curculionidae: Otiorhynchinae) from Pakistan // Pakistan Journal of Entomology Karachi. Vol.17. Nos 1–2. P.25–27.
- Rizvi S.A., Ahmad Z., Naz S. 2006. A new species of the genus *Burmanicus* Supare (Coleoptera: Curculionidae: Brachyderinae) from Sindh, Pakistan // Pakistan Journal of Entomology Karachi. Vol.21. Nos 1–2. P.9–10.

- Supare N.R., Ghai S., Ramamurthy V.V. 1990. A revision of *Tanymicus* from India and adjacent countries (Coleoptera: Curculionidae) // Oriental Insect. Vol.24. P.1–126.
- Voss E. 1959a. Curculioniden aus dem Iran (Coleoptera; Curculionidae) // Stuttgarter Beiträge zur Naturkunde. Bd.26. S.1–12.
- Voss E. 1959b. Afghanistans Curculioniden fauna, nach den jüngesten Forschungsergebnissen zusammengestellt // Entomologische Blätter. Bd.60. S.65–162.
- Voss E. 1960a. Indische und Pakistanische Rüsslkäfer aus der Zoologischen Sammlung des Bayerischen Staates (155. Beitrag zur Kenntnis der Curculionidae) // Opuscula Zoologica. Vol.37. P.1–12.
- Voss E. 1960b. Curculioniden aus Afghanistan // Opuscula entomologica. Vol.25. P.233–245.
- Voss E. 1961. Contribution à l'étude de la faune d'Afghanistan // Entomologisk Tidskrift. Vol.82. Nos 3–4. P.180–190.
- Voss E. 1963. Ergänzende Beschreibungen und Bemerkungen zu zentralasiatischen, vorwiegend Afghanistanischen Curculioniden (Coleoptera: Curculionidae) // Annals Historico-Naturales Musei Nationale Hungaric. Zoologica. Vol.55. P.403–410.
- Voss E. 1964. Unbeschriebene Curculioniden aus Iran und Pakistan (Coleoptera: Curculionidae) // Entomologische Arbeiten. Bd.15. Nos1–2. S.702–710.

Поступила в редакцию 19.10.2014